

B1  
cont

40. A fenestration product as claimed in claim 39,  
said strike-side reinforcement plate interposed at least in part between the strike-side  
sidelight assembly and the strike-side door jamb.

41. A fenestration product as claimed in claim 40,  
said door jambs each presenting an inner face facing inwardly toward the door when the door  
is in a closed position and a generally oppositely facing outer face,  
said strike-side reinforcement plate being secured flatly at least in part against the outer face  
of the strike-side door jamb.

42. A fenestration product as claimed in claim 41,  
said strike-side sidelight assembly including a strike-side window jamb positioned alongside  
the outer face of the strike-side door jamb,  
said strike-side window jamb and the strike-side door jamb being interconnected.

43. A fenestration product as claimed in claim 42,  
said strike-side reinforcement plate secured at least in part between the strike-side door jamb  
and the strike-side window jamb.

44. A fenestration product as claimed in claim 43; and  
a hinge-side reinforcement plate secured flatly at least in part against the outer face of the  
hinge-side door jamb and configured to restrict movement of the hinge relative to the  
hinge-side door jamb.

B1  
cont

45. A fenestration product as claimed in claim 44,  
said hinge being secured to the hinge-side reinforcement plate.

46. A fenestration product comprising:  
a door assembly including a door, a pair of laterally spaced, structural door jambs, and door  
hardware configured to associate the door with the door jambs;  
a sidelight assembly adjacent at least one of the door jambs; and  
a reinforcement plate interposed between said one of the door jambs and the sidelight  
assembly and configured to restrict movement of the door hardware relative to said  
one of the door jambs.

47. A fenestration product as claimed in claim 46,  
said sidelight assembly and said one of the door jambs being interconnected.

48. A fenestration product as claimed in claim 47,  
said reinforcement plate secured to said one of the door jambs.

49. A fenestration product as claimed in claim 48,  
said reinforcement plate being fastened to the door hardware by a fastener which threadably  
engages the door hardware.

B1  
cont

50. A fenestration product as claimed in claim 46,  
said door jambs each presenting an inner face facing inwardly toward the door when the door  
is in a closed position and a generally oppositely facing outer face,  
said reinforcement plate being secured flatly at least in part against the outer face of said one  
of the door jambs.

51. A fenestration product as claimed in claim 50,  
said sidelight assembly including a window jamb positioned alongside the outer face of said  
one of the door jambs,  
said window jamb and said one of the door jambs being interconnected.

52. A fenestration product as claimed in claim 51,  
said reinforcement plate being secured flatly at least in part against the outer face of said one  
of the door jambs,  
said door hardware being fastened to the reinforcement plate.

53. A fenestration product as claimed in claim 52.  
said reinforcement plate being located at least in part between said one of the door jambs and  
the window jamb.

54. A fenestration product as claimed in claim 53,  
said door hardware being fastened to the reinforcement plate by a fastener which threadably  
engages the door hardware.

B1  
cont

55. A fenestration product as claimed in claim 54,

said door hardware including a hinge for swingably mounting the door on said one of the door jambs.

56. A fenestration product as claimed in claim 54,

said door hardware including a strike plate mounted on said one of the door jambs.

---